CA Activator Pro

KAVAN · activator for cyanoacrylate glues · spray 150 ml
Instructions for use and safety information



DANGER – extremely flammable aerosol, pressurised container. Read the safety instructions in Chapter 1 before use. The product is intended for persons aged 14 and over.

www.rotorama.com

Contents

1. Safety instructions

1.1 Hazard labelling

1.2 Safe working practices

1.3 First aid

2. Product description

2.1 Intended use

2.2 Description of the package

2.3 Technical data

3. Use

4. Storage and shelf life

5. Information for the EU and Czech Market

5.1 Distributor and seller

5.2 Labelling and disposal

6. Warranty and rights arising from defective performance

1. Safety instructions

The product contains substances classified as **hazardous** under Regulation (EC) No 1272/2008 (CLP). The product is intended for persons aged 14 and over.

1.1 Hazard labelling



GHS02 flammable · GHS07 irritant · GHS09 hazardous to the environment

Signal word: DANGER

Contains: pentane, N,N-dimethyl-p-toluidine.

Statement	Meaning
H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.
H302	Harmful if swallowed.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.
P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P261	Avoid breathing spray.
P271	Use only outdoors or in a well-ventilated area.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C.
P501	Dispose of contents/container in a hazardous waste collection point.

1.2 Safe working practices

- Use only outdoors or in a **well-ventilated area** and avoid breathing spray.
- Keep away from open flames, sparks, hot surfaces and other ignition sources. No smoking while working.

- Do not spray into the eyes, onto the skin or towards other persons.
- Rapid curing of cyanoacrylate glue can release a considerable amount of heat. The joint and its surroundings will heat up – the more glue was used, the more they heat up.
- Protect the container from sunlight and do not expose it to temperatures exceeding 50 °C. Do not pierce or burn it, even when empty.
- Keep the product out of reach of children.

1.3 First aid

If inhaled: remove person to fresh air and keep comfortable for breathing. If you feel unwell or in case of doubt, seek medical advice and show the doctor the container or the product label.

Czech Toxicological Information Centre (24 h): +420 224 919 293, +420 224 915 402 – or the poison centre in your country

2. Product description

2.1 Intended use

KAVAN CA Activator Pro is an activator (accelerator) for cyanoacrylate (CA) glues in an aerosol can. It speeds up the curing of cyanoacrylate glues in conditions that are unfavourable for their natural curing by reaction with air humidity – in a dry environment, in the cold, when bonding inactive materials or with a thick layer of glue.

The product contains a component that activates the polymerisation of cyanoacrylate glue, solvents and a propellant (propane/butane).

- **Suitable for:** cyanoacrylate glues when bonding materials resistant to organic solvents.
- **Not suitable for:** expanded polystyrene foam and other materials that are not resistant to organic solvents or elevated temperature.

2.2 Description of the package



①	protective cap
②	pressurised container 150 ml
③	label with safety information, UFI code and distributor contact

2.3 Technical data

Product code	KAV56.9983
Type	activator for cyanoacrylate glues, aerosol
Volume	150 ml
Propellant	propane/butane
Spraying distance	20–25 cm
Working temperature	+10 °C to +30 °C
Storage temperature	+5 °C to +25 °C
UFI	A2JW-UMX4-110G-WXAG

3. Use

Spray the activator from a distance of **20–25 cm** onto clean and dry surfaces. The optimum working temperature is +10 °C to +30 °C. You can use it in one of two ways:

Small parts

① Apply the activator to one of the surfaces to be bonded and let it dry – it remains active for several hours.

② Apply cyanoacrylate glue to the other mating surface and join the parts.

Large parts

① Apply cyanoacrylate glue to one mating surface and press the parts together.

② Spray the joint with the activator.

※ Before using the activator on an unfamiliar material, test it in a hidden spot or on an offcut – the solvents can damage plastics and foams.

4. Storage and shelf life

- Store in a tightly closed container in a cool, dry and dark place at a temperature of **+5 °C to +25 °C**. Do not expose to temperatures below +2 °C or exceeding 50 °C.
- Protect from sunlight and ignition sources. Keep out of reach of children.
- **Shelf life:** provided the proper storage conditions are observed, the manufacturer guarantees a shelf life of 1 year in the unopened original packaging while retaining the stated properties of the product.

5. Information for the EU and Czech Market

European Union regulations apply in all Member States, but national regulations differ from country to country. The information in Chapters 5 and 6 describes the situation in the Czech Republic. If you use the product in another country, follow the regulations of the country in which you use it.

5.1 Distributor and seller

Distributor / responsible person in the EU	**KAVAN Europe s.r.o.**
Company ID (IČO)	178 33 914
VAT ID (DIČ)	CZ17833914
Registered office	Doubravice 110, 533 53 Pardubice, Czech Republic
E-mail	info@kavanrc.com
Phone	+420 463 358 712
Website	www.kavanrc.com

Seller	**Rotorama, s.r.o.**
Company ID (IČO)	051 57 692
Registered office	Okrajová 1351, 674 01 Třebíč, Czech Republic
E-mail	info@rotorama.cz
Phone	+420 252 252 098
Website	www.rotorama.com

5.2 Labelling and disposal

- **Product identification:** KAVAN CA Activator Pro 150 ml, code KAV56.9983, unique formula identifier **UFI A2JW-UMX4-110G-WXAG**. When calling the Czech Toxicological Information Centre or the poison centre in your country, quote the UFI code from the packaging.
- The product is classified and labelled in accordance with Regulation (EC) No 1272/2008 (CLP). Product safety is governed by Regulation (EU) 2023/988 on general product safety (GPSR).
- The product is not electrical equipment and does not contain batteries.
- Dispose of contents/container in a **hazardous waste** collection point (e.g. at a municipal collection yard). Do not pierce or burn the container, even after use. Do not pour product residues into drains, watercourses or soil.

6. Warranty and rights arising from defective performance

The rights and obligations of the contracting parties are governed by Czech law, in particular by Act No. 89/2012 Coll., the Civil Code, and Act No. 634/1992 Coll., on consumer protection.

- The seller is liable to the buyer for the product being free of defects on receipt. If the buyer is a consumer, a defect may be notified **within two years of receipt** of the product (Section 2165 of the Civil Code).
- If a defect appears within **one year** of receipt, the product is deemed to have been defective already at the time of receipt (Section 2161(5) of the Civil Code).
- When purchasing online, a consumer has the right to **withdraw from the contract within 14 days** of receiving the goods without giving a reason (Section 1829 of the Civil Code).
- Claims should be made with the retailer from whom you purchased the product. The contact details of the distributor and seller are given in Chapter 5.1.
- The competent body for out-of-court settlement of consumer disputes is the **Czech Trade Inspection Authority**, Štěpánská 796/44, 110 00 Prague 1, www.coi.cz.