Glass Tape 50 mm

Cross fibres · length 50 m
User manual



Read this manual before first use and keep it for future reference.

Rotorama, s.r.o. · www.rotorama.com · info@rotorama.cz

Contents

1. Product description

1.1 Purpose

1.2 Technical data and package contents

2. Use

2.1 Typical applications

2.2 Surface preparation

2.3 Applying the tape

2.4 Removing the tape

2.5 Safety and storage

3. Information for the EU and Czech Market

3.1 Importer and responsible person in the EU

3.2 Disposal

4. Warranty and rights arising from defective performance

1. Product description

1.1 Purpose

KAVAN glass tape is a universal adhesive tape reinforced with glass fibres arranged in a **cross pattern** – they run both along and across the tape. The tape combines good tensile strength with very low elongation, so it hardly stretches under load.

In RC modelling and FPV it is used to reinforce and join parts, to strengthen stressed areas, to secure loose parts and to pack and transport equipment. Thanks to the cross-fibre arrangement, the tape also holds where the joint is loaded crosswise.



Glass tape 50 mm with cross fibres

1.2 Technical data and package contents

Product	Glass Tape 50 mm – cross fibres
Brand	KAVAN
Manufacturer code	KAV60.5609
EAN	8596450035737
Width	50 mm
Roll length	50 m
Reinforcement	glass fibres
Fibre arrangement	cross
Package contents	1× glass tape (roll)
Not included	scissors, knife or tape dispenser
Manufacturer	KAVAN Europe s.r.o., Doubravice 110, 533 53 Pardubice, Czech Republic, info@kavanrc.com

2. Use

2.1 Typical applications

- reinforcing and joining model parts and strengthening stressed edges,
- securing cables, antennas and other loose parts,
- temporary repair of a damaged part, packing and transporting equipment.

2.2 Surface preparation

- The surface must be **clean, dry and degreased** (e.g. with isopropyl alcohol). Do not apply the tape to a damp, frosted or very cold surface.
- On painted, film-covered and fabric-covered surfaces, first test adhesion and later removal in a hidden spot.

2.3 Applying the tape

① Unroll the required length of tape with an overlap on both sides of the joint.

② Cut the tape with sharp scissors or a knife. The glass fibres are difficult to tear by hand and a frayed end peels off easily.

③ Place the tape and smooth it from the centre outwards, without air bubbles or creases.

④ Press the whole area firmly with your fingers or a cloth; load the joint only after that.

※ The fibres are strongest in the direction in which they run. Lay the tape across the joint so that the fibres point in the direction of the load.

2.4 Removing the tape

- Peel the tape off slowly, at a sharp angle and close to the surface – a quick pull may damage paint, film or covering.
- Remove adhesive residue with a suitable cleaning agent tested in a hidden spot.

2.5 Safety and storage

- Take extra care when cutting with a knife and always cut away from your body.
- Do not use the tape as electrical insulation – the manufacturer does not specify its insulating properties.
- Do not apply it to skin or expose it to fire. The product is not a toy – keep it out of the reach of children.
- Store in a dry, cool place away from direct sunlight, ideally in the original packaging.

3. Information for the EU and Czech Market

3.1 Importer and responsible person in the EU

The product is placed on the European Union market by the importer stated below, who is at the same time the responsible person within the meaning of Article 16 of Regulation (EU) 2023/988 of the European Parliament and of the Council on general product safety (GPSR).

Importer / responsible person in the EU	Rotorama, s.r.o.
Company ID (IČO)	051 57 692
VAT ID (DIČ)	CZ05157692
Registered office	Okrajová 1351, 674 01 Třebíč, Czech Republic
E-mail	info@rotorama.cz
Phone	+420 252 252 098
Website	www.rotorama.com

3.2 Disposal

- The tape is neither electrical equipment nor a battery and is not subject to take-back under Act No. 542/2020 Coll., on end-of-life products.
- Dispose of used tape, offcuts and the core with adhesive residue in mixed municipal waste.
- Sort the product packaging according to the material it is made of.
- Waste management rules differ between countries and municipalities. Follow the regulations of the place where you use the product.

4. Warranty and rights arising from defective performance

The rights and obligations of the contracting parties are governed by Czech law, in particular by Act No. 89/2012 Coll., the Civil Code, and Act No. 634/1992 Coll., on consumer protection.

- The seller is liable to the buyer for the product being free of defects on receipt. If the buyer is a consumer, a defect may be notified **within two years of receipt** of the product (Section 2165 of the Civil Code).
- If a defect appears within **one year** of receipt, the product is deemed to have been defective already at the time of receipt (Section 2161(5) of the Civil Code).
- When purchasing online, a consumer has the right to **withdraw from the contract within 14 days** of receiving the goods without giving a reason (Section 1829 of the Civil Code).
- Claims should be made with the retailer from whom you purchased the product. The importer's contact details are given in Chapter 3.1.
- The competent body for out-of-court settlement of consumer disputes is the **Czech Trade Inspection Authority**, Štěpánská 796/44, 110 00 Prague 1, www.coi.cz.